

General

Dimensions	139.7×42.2×33.5 mm (L×W×H)
Weight	179 g
Number of Microphones	3
Touchscreen	Size: 2.0 inches Resolution: 314×556 Brightness: 700 nits
Supported SD Cards	microSD (up to 512 GB)
Recommended microSD Cards	Recommended models: SanDisk Extreme Pro 32GB V30 A1 UHS-I Speed Grade 3 Kingston Canvas Go!Plus 64GB UHS-I Speed Grade 3 Kingston Canvas Go!Plus 128GB UHS-I Speed Grade 3 Kingston Canvas React Plus 64GB UHS-II Speed Grade 3 Kingston Canvas React Plus 128GB UHS-II Speed Grade 3 Kingston Canvas React Plus 256GB UHS-II Speed Grade 3 Lexar Pro 256GB SDXC UHS-I V30 R160/W120 (1066x) Lexar Pro 512GB SDXC UHS-I V30 R160/W120 (1066x)

Gimbal

Controllable Range	Pan: -235° to 58° Tilt: -120° to 70° Roll: -45° to 45°
Mechanical Range	Pan: -240° to 63° Tilt: -180° to 98° Roll: -220° to 63°

Max Controllable Speed 180.0°/s

Angular Vibration Range ±0.005°

Camera

Sensor 1-inch CMOS

Lens Format Equivalent: 20 mm
Aperture: f/2.0
Focus Range: 0.2 m to ∞

ISO Range Photo: 50-6400
Video: 50-6400
Low-Light Video: 50-16000
Slow Motion: 50-6400

Electronic Shutter Speed Photo: 1/8000-1 s
Video: 1/8000 s to the limit of frames per second

Max Image Size 16:9, 3840×2160
1:1, 3072×3072

Zoom Digital Zoom
Photo: 3840×2160, 2x
Video: 1080p, 4x; 2.7K, 3x; 4K, 2x
UVC & Livestream: 1080p, 4x
Slow Motion/Timelapse: Not available

Still Photography Modes Single Shot: Approx. 9.4 MP
Countdown: Off/3/5/7 s
Panorama: 180°, 3×3

Normal Video 4K (16:9): 3840×2160@24/25/30/48/50/60fps
2.7K (16:9): 2688×1512@24/25/30/48/50/60fps
1080p (16:9): 1920×1080@24/25/30/48/50/60fps
3K (1:1): 3072×3072@24/25/30/48/50/60fps
2160p (1:1): 2160×2160@24/25/30/48/50/60fps
1080p (1:1): 1080×1080@24/25/30/48/50/60fps
3K (9:16): 1728×3072@24/25/30/48/50/60fps
2.7K (9:16): 1512×2688@24/25/30/48/50/60fps
1080p (9:16): 1080×1920@24/25/30/48/50/60fps

Slow Motion 4K (16:9): 3840×2160@120fps
2.7K: 2688×1512@120fps
1080p: 1920×1080@120/240fps

Hyperlapse 4K/2.7K/1080p@25/30fps: Auto/×2/×5/×10/×15/×30

Timelapse 4K/2.7K/1080p@25/30fps
Intervals: 0.5/1/2/3/4/5/6/8/10/15/20/25/30/40/60 s
Duration: 5/10/20/30 mins, 1/2/3/5/∞ hours

Motionlapse 4K/2.7K/1080p@25/30fps
Intervals: 0.5/1/2/3/4/5/6/8/10/15/20/25/30/40/60 s
Duration: 5/10/20/30 mins, 1/2/3/5 hours
Supports setting four positions

Low-Light Video 4K (16:9): 3840×2160@24/25/30fps
1080p: 1920×1080@24/25/30fps

Max Video Bitrate 130 Mbps

Supported File System exFAT

Photo Format JPEG/JPEG+DNG

Video Format	MP4 (H.264/HEVC)
Built-in Storage Capacity	The camera does not have built-in storage, but storage capacity can be expanded by inserting a microSD card.
Audio Output	48 kHz 16-bit; AAC

Battery

Type	LiPo
Capacity	1300 mAh
Energy	10.01 Wh
Voltage	7.70 V
Operating Temperature	0° to 40° C (32° to 104° F)
Charging Temperature	5° to 45° C (41° to 113° F)
Operating Time	166 mins. tested in a laboratory environment (25° C/77° F) and 1080p/24fps (16:9), with Wi-Fi off and screen off. This data is for reference only.
Charging Time	16 mins to 80%; 32 mins to 100% Tested in a laboratory environment with the DJI 65W PD charger (sold separately).

Connection

Wi-Fi Operating	2.400-2.4835 GHz 5.150-5.250 GHz
------------------------	-------------------------------------

Frequency	5.725-5.850 GHz
------------------	-----------------

Wi-Fi Protocol	802.11 a/b/g/n/ac
-----------------------	-------------------

Wi-Fi Transmitter Power (EIRP)	2.4 GHz: < 23 dBm (FCC) < 20 dBm (CE/SRRC/MIC) 5.1 GHz: < 23 dBm (FCC/SRRC) < 20 dBm (CE) 5.8 GHz: < 23 dBm (FCC/SRRC) < 14 dBm (CE)
---------------------------------------	--

Bluetooth Operating Frequency	2.400-2.4835 GHz
--------------------------------------	------------------

Bluetooth Transmitter Power (EIRP)	< 14 dBm
---	----------

Bluetooth Protocol	BLE 5.2, BR/EDR
---------------------------	-----------------